Quality mirrors made in Sweden

EuroMirror

EURO MIRROR®

www.pekuma.se

EuroMirror Quality mirrors

History:

1977 manufacturing of mirrors began when Arne & Peter Steen bought a smaller company that produced mirrors for the automotive industry and glass retail mirrors glass.

1984 manufacturing and sales of surveillance mirrors from another company is purchased.

1986 the business is moved to Vittaryd - 20km north of Ljungby in Sweden. A few years of expanding both the business and the product range is following.

1992 the business is expanded with the purchase of a complete workshop for the production of sheet metal details. The company can now produce the fittings for the mirrors and also perform contract manufacturing of sheet metal parts.

1993 a decision is made to start production of retail-, traffic- and dome mirrors in plastic. By the end of the year a complete product range is offered.

1994 the trademark EUROMIRROR is registered. The range is for the first time introduced internationally with marketing at international exhibitions. New equipment for vacuum forming of backsides and mirror domes is installed.

1995 the contract manufacturing of sheet metal parts is expanded. To meet the market's demands for documented quality control, a quality system with third-party certification is implemented in accordance with SS-EN ISO 9001.

1996 the entire business is moved to new facilities in the current location in Vittaryd, Sweden.

1999 a new marketing channel is opened: www.steenindustri.se

2001 one of the largest metallization facilities for aluminum coating of plastic mirrors in Europe is installed.

2004 an automatic pressing line for stainless steel stamping is installed.

2019 Pekuma AB acquires the business previously run by Steen Industri AB. Today, Steen Industri is included as a subsidiary of Pekuma AB.

Pekuma

EURO MIRROR®

STEEN INDUSTRI

Innehåll:

Traffic mirrors 4

Industrial mirrors 8

Retail mirrors 10

Glass mirrors 16

Mirror domes 18

Misc. 20

Accessories 22

Mirror mirror on the wall...

Pekuma AB/Stéen Industri is Northern Europe's largest manufacturers of mirrors for traffic-, industrial-, and retail environments. Sales and distribution mainly occurs through our wholesalers and retailers specialized in traffic- and industrial supplies and shop interiors.

EuroMirror Traffic

T-97 Rectangular

Standard bracket for posts ø50-76mm

Special bracket for larger post dimensions

Coming soon!

T-97 Round

Adjustable thermostat

Traffic mirrors are designed to improve visibility for drivers in intersections, sharp curves, exits or other places where visibility is obstructed. Delivered complete with a zinkplated bracket for mounting on standard posts (50-76)mm or for wall mounting.

Traffic mirror ”T97”

The backside is made of UV-stabilized polystyrene. The front is provided with reflective Class 2 material to indicate that the mirror is a traffic aid. Available in impact-resistant acrylic or non-crushable polyethylene terephthalate (PET).

Traffic mirror T-97					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 34146	400x600	Acrylic	12 m	870x100x580	1 pc
14 -34168	600x800	Acrylic	18 m	950x125x900	1 pc
14 - 34181	800x1000	Acrylic	22 m	1200x140x1100	1 pc
14 - 34160	ø600	Acrylic	12 m	870x80x770	1 pc
14 - 34180	ø800	Acrylic	18 m	1070x80x970	1 pc
14-34346	400x600	PET	12 m	870x100x580	1 pc
14-34368	600x800	PET	18 m	950x125x900	1 pc
14-34381	800x1000	PET	22 m	1200x140x1100	1 pc
14-34360	ø600	PET	12 m	870x80x770	1 pc
14-34380	ø800	PET	18 m	1070x80x970	1 pc

Traffic mirror ”T97” Heated

In climates where ice or condensation impairs the function of the mirror, this is an excellent alternative for maintaining visibility. Comes with a 230V adjustable thermostat.

Traffic mirror T97 Heated					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 36146	400x600	Acrylic	12 m	870x100x580	1 st. 230V/160W
14 -36168	600x800	Acrylic	18 m	950x125x900	1 st. 230V/160W
14 - 36181	800x1000	Acrylic	22 m	1200x140x1100	1 st. 230V/160W
14 - 36160	ø600	Acrylic	12 m	870x80x770	1 st. 230V/160W
14 - 36180	ø800	Acrylic	18 m	1070x80x970	1 st. 230V/160W
14-36346	400x600	PET	12 m	870x100x580	1 st. 230V/160W
14-36368	600x800	PET	18 m	950x125x900	1 st. 230V/160W
14-36381	800x1000	PET	22 m	1200x140x1100	1 st. 230V/160W
14-36360	ø600	PET	12 m	870x80x770	1 st. 230V/160W
14-36380	ø800	PET	18 m	1070x80x970	1 st. 230V/160W

All models can be supplied with a special bracket for larger post dimensions. Contact Us.

EuroMirror Traffic

T-98 Round

Standard bracket for posts ø50-76mm

Special bracket for larger post dimensions

Coming soon!

Adjustable thermostat

Increases security where vision is obstructed. Plastic mirrors are durable and can guarantee a longer service life even in harsh climate conditions. Delivered complete with a zink-plated bracket for mounting on a standard post (50-76) mm or for wall mounting. All models are available with electric heating to prevent condensation and ice coating.

Traffic mirror ”T98”

T-98 has an extra convex mirror glass for a wider view. The backside is made of UV-stabilized polystyrene. The front is provided with reflective Class 2 material to indicate that the mirror is a traffic aid. Available in impact-resistant acrylic or non-crushable polyethylene terephthalate (PET).

Traffic mirror T-98					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 34660	ø600	Acrylic	12 m	850x880x170	1 pc
14 -34680	ø800	Acrylic	18 m	850x880x170	1 pc
14 - 34760	ø600	PET	12 m	850x880x170	1 pc
14 - 34780	ø800	PET	18 m	850x880x170	1 pc

Traffic mirror ”T98” Heated

In climates where ice or condensation impairs the function of the mirror, this is an excellent alternative for maintaining visibility. Comes with a 230V adjustable thermostat.

Trafikspegel T-98 Eluppvärmd					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 36660	ø600	Acrylic	12 m	850x880x170	1 st. 230V/160W
14 -36680	ø800	Acrylic	18 m	850x880x170	1 st. 230V/160W
14 - 36760	ø600	PET	12 m	850x880x170	1 st. 230V/160W
14 - 36780	ø800	PET	18 m	850x880x170	1 st. 230V/160W

All models can be supplied with a special bracket for larger post dimensions. Contact Us.

I-94 Rectangular

Standard bracket for posts ø50-76mm



Special bracket for larger post dimensions

Coming soon!

I-94 Round

Adjustable thermostat

An industrial mirror in the right spot can prevent accidents and increase security where visibility is obstructed. Can be used to supervise automatic machines and conveyor belts. Also suited for use in food- or processindustries. Delivered complete with a zink-plated bracket for mounting on a standard post (50-76)mm or for wall mounting.

Industrial mirror ”I-94”

Manufactured in impact-resistant acrylic or non-crushable PET. The backside is made of UV-stabilized polystyrene. A red rubber frame makes the mirror easy to detect.

Industrial mirror I-94					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 34046	400x600	Acrylic	12 m	770x90x540	1 pc
14 -34068	600x800	Acrylic	18 m	860x80x770	1 pc
14 - 34050	ø500	Acrylic	10 m	620x160x590	1 pc
14 - 34060	ø600	Acrylic	12 m	750x90x620	1 pc
14 - 34080	ø800	Acrylic	18 m	950x125x890	1 pc
14 - 34246	400x600	PET	12 m	770x90x540	1 pc
14 - 34268	600x800	PET	18 m	860x80x770	1 pc
14 - 34250	ø500	PET	10 m	620x160x590	1 pc
14 - 34260	ø600	PET	12 m	750x90x620	1 pc
14 - 34280	ø800	PET	18 m	950x125x890	1 pc

Industrispegel ”I-94” Eluppvärmd

In climates where ice or condensation impairs the function of the mirror, this is an excellent alternative for maintaining visibility. Comes with a 230V adjustable thermostat.

Industrial mirror I-94 Heated					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14 - 36060	ø600	Acrylic	12 m	750x90x620	1 st. 230V/160W
14 -36080	ø800	Acrylic	18 m	950x125x890	1 st. 230V/160W
14 - 36260	ø600	PET	12 m	750x90x620	1 st. 230V/160W
14 - 36280	ø800	PET	18 m	950x125x890	1 st. 230V/160W

All models can be supplied with a special bracket for larger post dimensions. Contact Us.

COM 333. Check out mirror with mounting arm



COM 2014. Check out mirror with mounting arm



COMP 10030. Check out mirror with mounting chain

A surveillance mirror in the right spot can prevent thefts and increase security where visibility is obstructed. Can also be used to supervise automatic machines and conveyor belts. Also suited for use in food- or processindustries. Delivered complete with attachment for mounting.

Check out mirror ”COM”

A light weight mirror that is easy to mount on an existing post next to the register. The flexible mounting arm makes it easy for the cashier to individually adjust the mirror. Manufactured in impact-resistant acrylic.

Check out mirror COM					
Art.no	**Type**	**Size (mm)**	**Material**	**Package size (mm)**	**Other**
14 - 22300	COM 333	300x370x300	Acrylic	440x320x300	50mm bracket
14 - 22301	COM 333	300x370x300	Acrylic	440x320x300	65mm bracket
14 - 22302	COM 333	300x370x300	Acrylic	440x320x300	Excl. bracket
14 - 22310	COM 121	177x250x177	Acrylic		50mm bracket
14 - 22320	COM 2014	200x140	Acrylic		Flat

Check out mirror ”COMP”

A light weight flat mirror which is attached with chains to the ceiling. Facilitates for the cashier to see articles left in the shopping cart. Manufactured in impact-resistant acrylic.

Check out mirror COMP					
Art.no	**Type**	**Size**	**Material**	**Package size (mm)**	**Other**
14 - 24210	COMP 10030	1000x300	Acrylic	1050x320x30	1 pc
14 - 24200	COMP 10050	1000x500	Acrylic	1050x520x30	1 pc

Type COM



Type COMP



EuroMirror Retail

SS Rectangular

SS Round

T-mount SS-mirror



T-mount IS-mirror

U-bracket IS-mirror

IS Rectangular

IS Round

EuroMirror retail mirrors in models ”IS” and ”SS” are available in multiple sizes. The mirror glass is manufactured in impact-resistant acrylic which guarantees a long service life.

Retail mirror ”SS”

These mirrors are light weight and they are suitable for indoor use. Comes with a black border. Delivered complete with a zink-plated telescopic bracket for mounting.

Retail mirror SS					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14-23040	Ø400	Acrylic	5 m	540x540x670	Black border. 10-pcs
14-23040-1	Ø400	Acrylic	5 m	440x110x450	Black border. 1 pc
14-23050	Ø500	Acrylic	7 m	540x540x670	Black border. 10-pcs
14-23050-1	Ø500	Acrylic	7 m	540x110x550	Black border. 1 pc
14-23060	Ø600	Acrylic	9 m	660x660x670	Black border. 10-pcs
14-23060-1	Ø600	Acrylic	9 m	660x110x670	Black border. 1 pc
14-23046	400x600	Acrylic	9 m	660x660x670	Black border. 10-pcs
14-23046-1	400x600	Acrylic	9 m	600x110x450	Black border. 1 pc

Retail mirror ”IS”

IS is a sturdy indoor mirror with a backside made of UV-stabilized polystyrene. Delivered complete with either a zink-plated telescopic bracket or a U-bracket for mounting. ”IS” can also be delivered with a white frame.

Retail mirror IS					
Art.no	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14-22535	Ø350	Acrylic	5 m	450x110x440	Black border
14-23535-10	Ø350	Acrylic	5 m	450x110x440	White border
14-22550	Ø500	Acrylic	7 m	550x110x540	Black border
14-22550-10	Ø500	Acrylic	7 m	550x110x540	White border
14-22560	Ø600	Acrylic	9 m	670x110x660	Black border
14-22560-10	Ø600	Acrylic	9 m	670x110x660	White border
14-22580	Ø800	Acrylic	12 m	950x130x880	Black border. U-bracket
14-22580-10	Ø800	Acrylic	12 m	950x130x880	White border. U-bracket
14-22546	400x600	Acrylic	9 m	660x110x450	Black border
14-22546-10	400x600	Acrylic	9 m	660x110x450	White border
14-22568	600x800	Acrylic	12 m	850x130x650	Black border. U-bracket
14-22568-10	600x800	Acrylic	12 m	850x130x650	White border. U-bracket

EuroMirror Glass

Glass mirrors

T-bracket (telescopic)



U-bracket 450mm

Post bracket (ø60mm)



Cast bracket (GS40))



Surveillance mirrors in glass are used when extra high optical quality is required. Suitable for use in traffic-, industrial- and retail environments. The glass is mounted on an aluminum backside with a rubber frame. Delivered with an adjustable U-bracket, telescopic T-arm or a bracket for 60mm posts. Individually packed.

Glass mirror GS and GST						
Art.no	**Type**	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14-10300	GS30	ø300	Glass	4 m	350x250x350	T-bracket
14-10301	GST30	ø300	Glass	4 m	350x250x350	Post bracket
14-10400	GS40	ø400	Glass	5 m	490x160x470	T-bracket
14-10401	GST40	ø400	Glass	5 m	490x160x470	Post bracket
14-10402	GS40	ø400	Glass	5 m	490x160x470	Cast bracket
14-10500	GS50	ø500	Glass	7 m	615x160x600	T-bracket
14-10501	GST50	ø500	Glass	7 m	615x160x600	Post bracket
14-10750	GS75	ø750	Glass	18 m	850x175x875	U-bracket 450mm
14-10751	GST75	ø750	Glass	18 m	850x175x875	Post bracket
14-11300	GS3050	300x500	Glass	7 m	730x170x480	U-bracket 450mm
14-11400	GS4060	400x600	Glass	12 m	730x170x480	U-bracket 450mm
14-11401	GST4060	400x600	Glass	12 m	730x170x480	Post bracket
14-11600	GS6075	600x750	Glass	18 m	850x170x875	U-bracket 450mm
14-11601	GST6075	600x750	Glass	18 m	850x170x875	Post bracket

Glass-mirror heated

In climates where ice or condensation impairs the function of the mirror, this is an excellent alternative for maintaining visibility. Comes with a 230V adjustable thermostat.

Glass mirror heated						
Art.no	**Type**	**Size glass (mm)**	**Material**	**Max distance**	**Package size (mm)**	**Other**
14-10759	GS75E	Ø750	Glass	18m	850x175x875	230V / 160W U-bracket 450mm
14-11409	GS4060E	400x600	Glass	12m	730x170x480	230V / 160W U-bracket 450mm
14-11607	GST6075E	600x750	Glass	18m	850x170x875	230V / 160W Post bracket
14-11609	GS6075E	600x750	Glass	18m	850x170x875	230V / 160W U-bracket 450mm

EuroMirror Domes

Dome 90° for corner mounting

Dome 180° for wall mounting

Designed to give a good overview of large areas. Manufactured in non-crushable PET. Comes in 1/1-dome for wall mounting or hanging, 1/2-dome for wall mounting and 1/4 dome for corner mounting. Also suitable for use in industrial environments for supervision of automatic machines or conveyor belts. A mirror dome in the right spot can prevent thefts and increase security.

Mirror dome MBP 360°

Suitable for indoor use. Can be either be mounted hanging with a chain/wire or screwed directly into the ceiling. Recommended mounting height: 2,5m.

Mirror dome MBP-360						
Art.no	**Type**	**Size (mm)**	**Surveillance area**	**Material**	**Package size (mm)**	**Other**
14 - 25030	MBP 30	ø300	< 10	PET	365x365x170	1 pc
14 - 25040	MBP 40	ø400	< 15	PET	470x470x210	1 pc

Mirror dome MBP 180°

Suitable for indoor use. Wall or ceiling mounting with screws. Recommended mounting height: 2,5m.

Mirror dome MBP-50						
Art.no	**Type**	**Size (mm)**	**Surveillance area**	**Material**	**Package size (mm)**	**Other**
14 - 25130	MBP 3050	½ ø300	< 5	PET	530x305x215	1 pc
14 - 25140	MBP 4050	½ ø400	< 10	PET	530x305x215	1 pc

Mirror dome MBP 90°

Suitable for indoor use. Wall or ceiling mounting with screws. Recommended mounting height: 2,5m.

Mirror dome MBP-25						
Art.no	**Type**	**Size (mm)**	**Surveillance area**	**Material**	**Package size (mm)**	**Other**
14 - 25230	MBP 3025	¼ ø300	< 5	PET	325x230x180	1 pc
14 - 25240	MBP 4025	¼ ø400	< 7	PET	325x230x180	1 pc

EuroMirror Domes

Dome 360° for ceiling mounting

The domes can also be used in office spaces, for examle in receptions if you want an overview of the entrance or hall ways. In ware houses and truck aisles the domes can be an aid for the truckdrivers. The durability also makes them great for use in the food- and process industry.

Our mirror domes used creatively with lighting.
From the Monki store at Rue de Rivoli in Paris.

Easy mounting: Either screw them directly into the surface or hang them from the ceiling in a chain or wire.



Mirror dome MB 360°

Manufactured in Acrylic. Suitable for indoor use. Mounted with chain/wire or directly to wall or ceiling with screws.

Mirror dome MB-360						
Art.no	**Type**	**Size (mm)**	**Surveill ance area/ Rec. mounting height (m)**	**Material**	**Package size (mm)**	**Other**
14 - 22030	MB 30	ø300	< 10 / 2,5	Acrylic	365x365x170	1 pc
14 - 22040	MB 40	ø400	< 15 / 2,5	Acrylic	470x470x210	1 pc
14 - 22050	MB 50	ø500	< 20 / 2,5	Acrylic	575x575x250	1 pc
14 - 22060	MB 60	ø600	< 20-30 / 2,7	Acrylic	655x655x370	1 pc
14 - 22080	MB 80	ø800	< 30-40 / 3,0	Acrylic	855x855x465	1 pc
14 - 22010	MB 100	ø1000	< 40-50 / 3,0	Acrylic	1055x1055x510	1 pc

Mirror dome MB 180°

Manufactured in Acrylic. Suitable for indoor use. Mounted directly to wall or ceiling with screws.

Mirror dome MB-50						
Art.no	**Type**	**Size (mm)**	**Surveill ance area/ Rec. mounting height (m)**	**Material**	**Package size (mm)**	**Other**
14 - 22130	MB 3050	½ ø300	< 5 / 2,5	Acrylic	530x305x215	1 pc
14 - 22140	MB 4050	½ ø400	< 10 / 2,5	Acrylic	530x305x215	1 pc
14 - 22150	MB 5050	½ ø500	< 10 / 2,5	Acrylic	635x335x300	1 pc
14 - 22160	MB 6050	½ ø600	< 10-15 / 2,7	Acrylic	635x335x300	1 pc
14 - 22180	MB 8050	½ ø800	< 15-20 / 3,0	Acrylic	850x450x320	1 pc
14 - 22110	MB 10050	½ ø1000	< 20-30 / 3,0	Acrylic	1055x1055x510	1 pc

Mirror dome MB 90°

Manufactured in Acrylic. Suitable for indoor use. Mounted directly to wall or surface with screws.

Mirror dome MB-25						
Art.no	**Type**	**Size (mm)**	**Surveill ance area/Rec. mounting height (m)**	**Material**	**Package size (mm)**	**Other**
14 - 22230	MB 3025	¼ ø300	< 5 / 2,5	Acrylic	325x230x180	1 pc
14 - 22240	MB 4025	¼ ø400	< 7 / 2,5	Acrylic	325x230x180	1 pc
14 - 22250	MB 5025	¼ ø500	< 7 / 2,5	Acrylic	440x105x450	1 pc
14 - 22260	MB 6025	¼ ø600	< 5-8 / 2,7	Acrylic	440x105x450	1 pc
14 - 22280	MB 8025	¼ ø800	< 8-12 / 3,0	Acrylic	595x155x590	1 pc
14 - 22210	MB 10025	¼ ø1000	< 12-15 / 3,0	Acrylic	690x160x665	1 pc

EuroMirror Misc.

Truck mirror

Exit mirror

Bracket Truck mirror

Wall bracket Exit mirror



Wall mirror screws directly into wall

A mirror in the right place can prevent crimes, accidents and increase security where visibility is limited. A surveillance mirror mounted in a narrow passage or obscured area makes it easier to detect possibly hidden perpetrators.

Truck mirror TRM

This is a light weight mirror suitable for all work vehicles. Fastening is done with an adjustable arm.
The mirror is manufactured in impact-resistant acrylic and it has a PET backside.
Delivered with a cast bracket for mounting on pipes ø(16-22)mm.

Truck mirror TRM					
Art.no	**Type**	**Size (mm)**	**Material**	**Package size (mm)**	**Other**
14-22350	TRM 40	1/2 ø400	Acrylic	505x305x215	Excl. bracket
14-22351	TRM 40	1/2 ø270	Acrylic	330x230x180	Incl. bracket
14-22353	TRM 40	1/2 ø270	Acrylic	330x230x180	Excl. bracket
14-22355	TRM 40	1/2 ø400	Acrylic	505x305x215	Incl. bracket



Exit mirror WOM

EuroMirror WOM is light weight and suitable in narrow spaces. It mounts close to the wall and does not take up alot of space. The mirror is manufactured in impact-resistant acrylic and it has a PET backside.

Exit mirror WOM					
Art.no	**Type**	**Size (mm)**	**Material**	**Package size (mm)**	**Other**
14-22340	WOM 40	½ ø400	Acrylic	505x305x215	1 pc
14-22352	WOM 50	½ ø270	Acrylic	330x230x180	1 pc

Wall mirror SUB

A mirror suitable for use in narrow staircases where people might have difficulty seeing what is hiding on the next floor. A surveillance mirror gives extra security and makes it difficult for people to hide. SUB is manufactured in unbreakable PET and is provided with a strong galvanized steel frame. Screws directly into the wall.

Wall mirror SUB					
Art.no	**Type**	**Size (mm)**	**Material**	**Package size (mm)**	**Other**
14-33160	SUB 60	ø600	PET	685x160x66	1 st

Accessories and spare glass

Do you need spare parts, such as brackets, chains for fastenings or replacement glass:

Brackets and mounting details				
Art.no	**Type**	**Dimension (mm)**	**Material**	**Other**
14 - 60060	Post bracket ø60mm		–	Glass mirror
14 - 60070	Body bracket complete.		–	Truck mirror, black
14 - 90050	Post bracket type 1 (standard)		–	I94, T97 and T98
14 - 90051	Post bracket type 2	600x800mm	–	T97 and T98
14 - 90052	Post bracket type 3	800x1000mm	–	T97 and T98
14 - 90053	U-bracket 450mm		–	Glass mirror
14 - 90058	Teleskopic arm		–	SS-, IS
14 - 90059	Inner-pipe complete w. screw		–	SS-, IS
14 - 90060	Teleskopic arm		–	Glass mirror
14 - 90064	Flex arm complete w. screw	50mm	–	COM. 50mm bracket
14 - 90065	Flex arm excl. bracket		–	COM
14 - 90066	Flex arm complete w. screw	65mm	–	65mm bracket
14 - 90090	Mounting set	ø300-400mm	Chain	Dome
14 - 90091	Mounting set	ø500-500mm	Chain	Dome
14 - 90092	Mounting set	ø800-1000mm	Chain	Dome

Spare glass for glass mirrors				
Art.no	**Type**	**Dimension (mm)**	**Material**	**Other**
42030	Mirror glass	ø300x3	Glass	Convexity r. 1400
42040	Mirror glass	ø390x3	Glass	Convexity r. 1400
42050	Mirror glass	ø516x3	Glass	Convexity r. 1400
42075	Mirror glass	ø750x4	Glass	Convexity r. 1800
42035	Mirror glass	300x516x3	Glass	Convexity r. 1400
42046	Mirror glass	400x600x3	Glass	Convexity r. 1400
42067	Mirror glass	600x750x4	Glass	Convexity r. 1800

Special orders

In addition to our standard range, we can also laser cut flat acrylic mirrors according to your wishes.
Please contact us!

Sture Steens väg 2, SE-341 55 Vittaryd, Sweden
Tel. +46 (0)370 - 472 00 · info@pekuma.se · www.pekuma.se